

Tri-State Cast Technologies Co., Inc.

SAFETY DATA SHEET (SDS)

ALUMINUM BRONZE ALLOY CASTINGS
COPPER-ALUMINUM-IRON ALLOY CASTINGS
COPPER-ALUMINUM-IRON-NICKEL ALLOY
CASTINGS

Meets the Requirements of OSHA Standard 29 CFR 1910.1200 Hazard Communication and EPA Supplier Notification Requirements under Section 313 of the Emergency Planning and Community Right-to-Know Act.

© 2015 American Foundry Society, Inc.

SDS SC-000-028 Rev 12

DATE ISSUED

01/15

SECTION 1—PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT NAME

C95400

ALUMINUM BRONZE ALLOY CASTINGS COPPER-ALUMINUM-IRON ALLOY CASTINGS COPPER-ALUMINUM-IRON-NICKEL ALLOY CASTINGS

OTHER DESIGNATIONS: Copper Alloy Specification No's Unified Numbering System (UNS) UNS ALLOY DESIGNATIONS:

C95800

C95200 C95410 C95700 C99500 C95300 C95500 C95710

PRODUCT IDENTIFICATION (Label Identifier)

C95600

| MANUFACTURER'S NAME | STREET ADDRESS |
|-------------------------|--------------------------------|
| EMERGENCY TELEPHONE NO. | MAILING ADDRESS |
| TELEPHONE NO. | CITY, STATE, ZIP CODE, COUNTRY |
| FAX NO. | E-MAIL ADDRESS/WEBSITE |

RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Solid casting; no restrictions

SECTION 2—HAZARD IDENTIFICATION

CLASSIFICATION

Castings are metallic articles that do not present hazards in their original form.

OTHER INFORMATION

- 1. Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.
- 2. Fumes from hot processes may contain other compounds with different exposure limits. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Consult Sections 3 & 8 for further information.

| SECTION 3—COMPOSITION/INFORMATION ON INGREDIENTS | | |
|--------------------------------------------------|-----------|------------|
| CHEMICAL NAME/COMMON NAME/SYNONYM | Wt % | CAS NUMBER |
| Aluminum (Al) Metal | 0.50–11.5 | 7429-90-5 |
| Cobalt (Co) Metal | 0.0-5.5 | 7440-48-4 |
| Copper (Cu) Metal | 71.0–91.5 | 7440-50-8 |
| Iron (Fe) Metal | 0.5–5.0 | 1309-37-1 |
| Lead (Pb) Metal | 0.0-0.25 | 7439-92-1 |
| Manganese (Mn) Metal | 0.0–14.0 | 7439-96-5 |
| Nickel (Ni) Metal | 0.0-5.5 | 7440-02-0 |
| Silicon (Si) Metal | 0.0-3.3 | 7440-21-3 |
| Zinc (Zn) Metal | 0.05-2.0 | 7440-66-6 |

SECTION 4—FIRST AID MEASURES

EYE CONTACT: Not applicable to solid castings

SKIN CONTACT: No special requirements for solid castings

INGESTION: Not applicable
INHALATION: Not applicable

SECTION 5—FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES: Not applicable

EXTINGUISHING MEDIA: Not applicable

PROTECTION OF FIREFIGHTERS: Not applicable

SECTION 6—ACCIDENTAL RELEASE MEASURES

Not applicable

SECTION 7—HANDLING & STORAGE

RECOMMENDED STORAGE

No special requirements

PROCEDURES FOR HANDLING

Proper hand and foot protection is recommended.

SECTION 8—EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

None Required. There are no health hazards from castings in solid form.

| SUBSTANCE | ACGIH TLV mg/m ³ | OSHA PEL mg/m³ |
|----------------------|--------------------------------|---------------------------------------------------|
| Aluminum (Al) Metal | | |
| Total Dust | N/E | 15 |
| Respirable Dust | 1(R) | 5 (R) |
| Cobalt (Co) Metal | 0.02 | 0.1 |
| Copper (Cu) Metal | 1 | 1 |
| Iron (Fe) Metal | N/E | N/E |
| Lead (Pb) Metal | 0.05 | 30μg/m³ AL 50μg/m³ PEL (See 29CFR1910.1025) |
| Manganese (Mn) Metal | N/E | N/E |
| Nickel (Ni) Metal | 1.5 (I) | 1 |

| Silicon (Si) Metal | | |
|--------------------|-----|-------|
| Total Dust | N/E | 15 |
| Respirable Dust | N/E | 5 (R) |
| Zinc (Zn) Metal | N/E | N/E |

SUPPLEMENTAL INFORMATION

Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.

Fumes from hot processes may contain other compounds with different exposure limits than those listed herein. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Exposure limits for the most common contaminants are offered as reference. Please consult a competent person for guidance on exposure assessment and controls.

| SUBSTANCE | ACGIH TLV mg/m³ | OSHA PEL mg/m ³ |
|--------------------------------------------------------|--------------------|-------------------------------|
| Aluminum Oxide (Al) | | |
| Total Dust | N/E | 15 |
| Respirable Dust | 1 | 5 |
| Cobalt (Co) | | |
| Metal Dust and Fume | N/E | 0.1 |
| Metal and Inorganic Compounds | 0.02 | N/E |
| Copper Compounds | | |
| Fume (Cu) | 0.2 | 0.1 |
| Dusts and Mists (Cu) | 1 | 1 |
| Iron Compounds | | |
| Iron Oxide (Fe ₂ O ₃) Fume | N/E | 10 |
| Iron Oxide (Fe ₂ O ₃₎ Respirable | 5 (R) | N/E |
| Lead Compounds | | |
| Inorganic Compounds (Pb) | 0.05 | 30µg/m³ AL |
| | | 50µg/m³ PEL |
| | | (See 29CFR 1910.1025) |
| Manganese Compounds (Mn) | 0.00 (D) 0.4 (l) | 5 (0) |
| Inorganic Compounds | 0.02 (R) 0.1 (I) | 5 (C) |
| Fume | 0.2 | 5 (C) |
| Nickel Compounds (Ni) | m | |
| Insoluble, Inorganic Compounds | 0.2 (I) | 1 |
| Soluble, Inorganic Compounds | 0.1 (I) | 1 |
| Nickel Oxide | 0.2 (I) | 1 |
| Zinc Compounds (Zn) | | |
| Zinc Oxide Total Dust | N/E | 15 |
| Zinc Oxide Respirable Dust | 2 / 10 STEL | 5 |
| Zinc Oxide Fume | N/E | 5 |

TERMS

All exposure limits referenced herein are 8 hour time weighted averages (TWA) unless otherwise noted.

N/E = None Established

C = Ceiling

I = Inhalable fractionR = Respirable fraction

STEL = Short Term Exposure Limit

TLV = Threshold Limit Value/American Conference of Governmental Industrial Hygienists (ACGIH)

PEL = Permissible Exposure Limit / OSHA

AL = Action Level / OSHA mg/m^3 = milligrams per cubic meter $\mu g/m^3$ = micrograms per cubic meter

PERSONAL PROTECTION

Proper hand and foot protection is recommended.

SECTION 9—PHYSICAL & CHEMICAL PROPERTIES APPEARANCE /PHYSICAL STATE Solid, Orange-red in color

| Solid, Orange-red in color | |
|-------------------------------------------|-------------------------------------|
| ODOR/ODOR THRESHOLD | VAPOR DENSITY |
| None | Not applicable |
| MELTING POINT/FREEZING POINT | SPECIFIC GRAVITY (relative density) |
| Approximately 1085°C (1984°F) for copper | 8.96 g/cm³ for copper (water = 1) |
| BOILING POINT | VAPOR PRESSURE |
| 2562°C (4644°F) for copper | Not applicable |
| FLASH POINT | EVAPORATION RATE |
| Not applicable for solid castings | Not applicable |
| FLAMMABILITY | SOLUBILITY IN WATER |
| Not flammable for castings in solid form | Insoluble |
| UPPER AND LOWER FLAMMABILITY LIMITS | pH |
| Not applicable for castings in solid form | Not applicable |
| AUTO IGNITION TEMPERATURE | VISCOSITY |
| Not applicable | Not applicable |
| DECOMPOSITION TEMPERATURE | PARTITION COEFFICIENT |
| Not applicable | Not applicable |

CHEMICAL STABILITY: Castings in solid form are stable. CONDITIONS TO AVOID: None REACTIVITY: Not reactive HAZARDOUS DECOMPOSITION PRODUCTS None Not applicable

| SECTION 11—TOXICOLOGICAL INFORMATION | | |
|--------------------------------------|------|--|
| POTENTIAL HEALTH EFFECTS | | |
| EYE CONTACT: | None | |
| SKIN: | None | |
| INGESTION: | None | |
| INHALATION: | None | |

| Carcinogen Classification of Ingredients | | | | | |
|-------------------------------------------------------------------|----|----|----|----------------------|--|
| INGREDIENT OSHA NTP IARC TARGET ORGAN(S) | | | | | |
| Cobalt and Compounds | NL | NL | 2B | Lung | |
| Lead and Inorganic Compounds NL R 2A Lung, Stomach, Liver, Kidney | | | | | |
| Nickel Metal | NL | K | 2B | Lung, Nasal passages | |

TERMS

OSHA—Occupational Safety & Health Administration

Y = Listed as a Human Carcinogen

NTP—National Toxicology Program

- K = Known to be a Human Carcinogen
- R = Reasonably Anticipated to be a Human Carcinogen (RAHC)

IARC—International Agency for Research on Cancer

- 1 = Carcinogenic to Humans
- 2A = Probably Carcinogenic to Humans
- 2B = Possibly Carcinogenic to Humans
- 3 = Unclassifiable as to Carcinogenicity in Humans
- 4 = Probably not Carcinogenic to Humans

Other

NL = Not Listed

| SECTION 12—ECOLOGICAL INFORMATION | | |
|--------------------------------------------|--|--|
| ECOTOXICITY PERSISTENCE AND DEGRADABILITY | | |
| Not applicable Not applicable | | |
| BIOACCUMULATION POTENTIAL MOBILITY IN SOIL | | |
| Not applicable Not applicable | | |

OTHER ADVERSE EFFECTS

Not applicable

SECTION 13—DISPOSAL CONSIDERATIONS

Recover or recycle if possible. Dispose of according to federal, state and local regulations. Dust collected from machining, welding, etc. may be classified as a hazardous waste. Consult federal, state and local regulations.

| 3, | , | |
|------------------------------------------------------------------------------|--------------------------------------------------|--|
| SECTION 14—TRANSPORT INFORMATION | | |
| US DEPARTMENT OF TRANSPORTATION (DOT)-HMR (Hazardous Materials Registration) | CANADIAN TRANSPORTATION OF DANGEROUS GOODS (TDG) | |
| Not Regulated | Not regulated | |
| UN SHIPPING NAME | UN NUMBER | |
| Not regulated | Not regulated | |
| TRANSPORT HAZARD CLASS | PACKING GROUP | |
| Not regulated | Not regulated | |
| ENVIRONMENTAL HAZARDS | LABEL(S) REQUIRED? | |
| None | No | |
| TRANSPORT IN BULK | SPECIAL SHIPPING INFORMATION | |
| Not applicable | Not applicable | |

SECTION 15—REGULATORY INFORMATION

US-OSHA (Hazard Communication Standard)

References: 29 CFR 1910.1200 Hazard Communication Standard.

A finished casting is an article as defined in 29CFR 1910.1200 (c)

29 CFR 1910.1000 Air Contaminants

29CFR1910.1025 Lead

Dust or fumes generated by cleaning, machining, grinding, or welding of the casting may produce airborne contaminants, such as aluminum, cobalt, copper, iron, lead, manganese, nickel, silicon, zinc and silica.

US-EPA (Toxic Substances Control Act-TSCA)

All components of these products are on the TSCA inventory list or are excluded from listing.

US-EPA (SARA Title III)

Releases to the environment of Aluminum (fume or dust), Cobalt, Copper, Lead, Manganese, Nickel and Zinc (fume or dust) may be subject to reporting under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CANADA-WHMIS (Workplace Hazardous Materials Information System)

This SDS has been prepared according to the hazard criteria of the Controlled Product Regulations (CPR) and the SDS contains the information required by the CPR.

CANADA DSL (Domestic Substances List) Inventory Status

All components of these products are on the DSL Inventory.

CEPA (Canadian Environmental Protection Act)

Lead is on the Toxic Substances List.

EINECS No. (European Inventory of Existing Commercial Chemical Substances)

All components of these products are on the EINECS list.

RoHS (Restriction of Certain Hazardous Substances) Compliance

Castings comply with RoHS

CALIFORNIA PROPOSITION 65 Compliance

🔥 WARNING: This product can expose you to chemicals including nickel which is known to the State of California to cause cancer, and lead, which is known to the State of California to cause birth defects or other reproductive harm. Please see Section 3 of this document for the chemical composition of this product. For more information go to www.P65Warnings.ca.gov.

US STATE REGULATORY INFORMATION

Some of the components listed in Section 3 may be covered under specific state regulations.

| SECTION 16—OTHER INFORMATION | | |
|-----------------------------------------------|-------|--|
| SDS PREPARED BY | DATE | |
| American Foundry Society, Inc. | 01/15 | |
| Occupational Safety & Health Committee (10-Q) | | |

NOTE

This data and label information is offered in good faith as typical values and not as a product specification. No warranty either expressed or implied is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review the recommendations in specific context of the intended use and determine if they are appropriate.

Addendum: Label Information

PRODUCT IDENTIFIER

SC-000-028 Rev 12
ALUMINUM BRONZE ALLOY CASTINGS
COPPER-ALUMINUM-IRON ALLOY CASTINGS
COPPER-ALUMINUM-IRON-NICKEL ALLOY CASTINGS

| SUPPLIER IDENTIFICATION | HAZARD PICTOGRAMS |
|--------------------------|-------------------|
| Company Name | None* |
| Street Address | SIGNAL WORD |
| Mailing Address | None* |
| City State | |
| Zip/Postal Code Country | |
| Emergency Phone Number | |
| Other Info | |
| | |
| PRECAUTIONARY STATEMENTS | HAZARD STATEMENTS |
| None* | None* |

OTHER INFORMATION

- 1. Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.
- 2. Fumes from hot processes may contain other compounds with different exposure limits. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Consult Sections 3 & 8 of the SDS for further information.

^{*}Castings do not present hazards in their original form.